## Central Intelligence Agency



25X1

	2 9 DEC 1983	
MEMORANDUM FOR:	Robert Pelletreau Deputy Assistant Secretary for Near Eastern and South Asian Affairs Department of State	
SUBJECT:	Transmittal of Report on Syrian Use of Yarmuk River Water	
will note, we found basin's water that develop additional	is the study of Syrian use of the Yarmuk River on 30 November. As you and that Syria is already using much more of the an any of us had expected and is continuing to all sources by drilling new wells and building the reservoirs. These developments seem to raise	25X1
questions about J the remaining flo	ordanian and Israeli plans for downstream use of	25X1
2. If you he contact Division,	Chief, Near East Branch, Geography	25X1 25X1
	Office of Global Issúés	25X1
	er: Increasing Syrian Water Diversion eli and Jordanian Concern December 1983	25X1
	GI M 83 10283 December 1983	25X1
<del>-SECR</del>	ET	25X1

Sanitized Copy Approved for Release 2011/08/17 : CIA-R	DP85T00287R000700020002-3
SUBJECT: The Yarmuk River: Increasing Cause for Israeli and Jordan	Syrian Water Diversion ian Concern
OGI/GD/NE,	(16 Dec 83)
Distribution: Orig - Addressee  1 - SA/DDCI  1 - Executive Dir  1 - DDI/PES  1 - NIO/NESA  1 - CPAS/ILS  1 - D/NESA  1 - Ch/NESA/AI  1 - Ch/NESA/AI/I  1 - Ch/NESA/AI/L  1 - D/OGI  1 - DD/OGI  1 - Ch/GD  1 - Ch/GD/NE  8 - OGI/PG	

25X1

25X1

25X1

Central Intelligence Agency



Washington, D. C. 20505

The Yarmuk River: Increasing Syrian Water Diversion Cause for Israeli and Jordanian Concern

SUMMARY	25 <b>X</b> 1
Syria is increasing its use of water originating in its portion of the Yarmuk River watershed. Since 1971 twelve surface storage dams and six smaller catchments have been constructed on tributaries of the Yarmuk; six of the dams have been built since 1979. Two additional dams are under construction. We estimate that Syria's annual use of Yarmuk sources may now be in excess of 200 million cubic meters—nearly 50 percent of the Yarmuk's historic average annual volume.	25X1
Syria's increased use of Yarmuk water has resulted in a corresponding reduction of the water available for the two downstream users, Jordan and Israel. Jordan's development plans for the East Bank will be severely disrupted if it is unable to rely on a Yarmuk flow significantly larger than it presently uses. While Israel uses on average only a small amount of this water for the Yarmuk (Adasiyah) Triangle, a reduced Yarmuk flow will inevitably complicate the dispute between Jordan and Israel.	X1 25x1
*	25 <b>X</b> 1
This memorandum was prepared by Geography Division, Office of Global	25X1
Issues. Comments and queries are welcome and may be directed to the Chief, Near East Branch, Geography Divsion,	25X1
GI M 83 10283 December 1983	2EV1
	25X1
	25X1

Sanitized Copy A	pproved for Release	2011/08/17 ·	CIA-RDP85T0	0287R000700020002-3
oura.zou oopy / t	pp.0104 101 11010400		0., (1,12)	0207110007,0002002

2	57
_	$J\Lambda$

25X1

25X1

## Background

The longstanding dispute between Israel and Jordan over sharing water from the Yarmuk River has focused since early 1982 on the diversion of water from the lower end of the river into Israel's Yarmuk Triangle and into Jordan's East Ghor Canal. During recent months Jordan has expressed concern about the unusually low flow in the Yarmuk, following a winter and spring when precipitation in the drainage basin was much above average. As a consequence, both Israel and Jordan have speculated that Syria may be increasing its diversion of the river's sources at the expense of the other two riparian states. This study attempts to identify the amount of river flow that is being used by Syria and to determine if this amount has changed notably during recent years.

## The Yarmuk Watershed

The Yarmuk watershed occupies an area of about 6,800 square kilometers (km²) of which 1,800 km² (25 percent) is in Jordan and 5,000 km² (75 percent) is in Syria (map 1). The Syrian portion is about the size of Delaware. The basin drains roughly the area stretching from the Golan Heights to the Jabal ad Duruz, east of As Suwayda in Syria, and from Irbid to Al Mafraq in Jordan. Most of the area in both Jordan and Syria is used for rain-fed agriculture, mainly grain crops.

The Yarmuk River is only about 55 kilometers long, but it is fed by an extensive network of longer tributaries, most of which are intermittent streams (wadis) which carry water only in winter and spring; a few streams are perennial and are at least partially fed by springs. The river's average annual flow, based on measurements from 1927 to 1975, was 450 million cubic meters (mcm) as measured at Al Adasiyah near where it enters Jordan's East Ghor diversion canal. Of this flow, about 200 mcm was steady base flow at the rate of about 6 cubic meters per second. The remaining 250 mcm comes from winter and spring flood flows, which ranged from 40 to 600 mcm annually during the period (By comparison, the average annual flow for Washington DC's Rock Creek is 55.5 mcm). The Yarmuk's most important tributary is the Nahr ar Ruqqad/Wadi ar Ruqqad which drains the area of highest rainfall, (Golan Heights from Mount Hermon to Fig). Its average annual flow measured at Ar Rafid was 73.3 mcm.

Precipitation, mostly rainfall, is the source of the watershed's water supply, and varies from over 900 millimeters (35 inches) on the southeastern slopes of Mount Hermon to between 200 and 300 millimeters (8 and 12 inches) on the lava plateau

 $^{
m l}$ The average annual flow was less--about 400 mcm--from 1954 to 1975.

25X1

25X1

25X1

25X1

2

e e e e e e e e e e e e e e e e e e e	
Sanitized Copy Approved for Release 2011/08/17 : CIA-RDP85T00287R000700020002-3	25X1
west of the As Suwayda (map 2). The average for the entire Yarmuk drainage basin is almost 400 millimeters (16 inches) annually. Although no precise figures are available, the higher average rainfall on the Syrian portion of the basin suggests that as much as 80 percent of the Yarmuk's flow, or more than 350 mcm, originates in Syria.  Yarmuk Water Use	25X1
During the decade of the 1970s Syrian use of water in the Yarmuk watershed increased to a 1980 level of about 180 mcm annuallyabout 40 percent of the Yarmuk's annual flow-	25X1
Syria, moreover, has the potential to control at least 350 mcm of the Yarmuk's total discharge, about four times as much as the 90 mcm allocated annually under the Johnston Plan <sup>1</sup> —which is often cited as the official sharing arrangement by Israel, Jordan, and Syria, when useful to their arguments.  Irrigation  Stated Syria's belief that all the waters of the Yarmuk originating on Syrian territory are Syrian. (C)	25X1 25X1 25X1
Although we do not know if Syria actually intends to make full use of its Yarmuk sources and can neither confirm nor refute the claim that it was using 180 mcm of Yarmuk sources in 1980,	
substantial evidence is available to show that Syria's water use has increased significantly since the 1970's. Since the mid-1970s the Syrian Government has sought to improve the country's agricultural productivity by increasing the amount of land under irrigation in Syria's dry farming areas. While the 1981-1985 Five Year Plan emphasizes dryland irrigation in the eastern part	25X1
including the Yarmuk watershed, is recognized as of increasing importance. Specific plans include the continuing construction of Yarmuk basin dams and associated irrigation networks and the increased drilling of deep wells northwest of Dar'a. Although hundreds of wells are reported to be in use within the Yarmuk basin for irrigation, no data are available on their total output	25X1 25X1 25X1
The affect of dam construction on the Yarmuk's flow.  The affect of dam construction on the Yarmuk's tributaries can be more readily documented and tends to support the Syrian contention that they are using a significant share of the river's	25X1

The Johnston Plan was a United States initiative, in 1953-55, aimed at seeking an agreement with Israel and the neighboring Arab states on a plan for the "diversion and use" of the waters of the Jordan River basin, and possibly, the internationalization of Jerusalem. It was named for President Eisenhower's special representative on this matter--Eric Johnston. Although most elements of this plan were eventually agreed to by all riparian parties (Israel, Jordan, Lebanon and Syria), formal agreements were never concluded.

flow. Prior to 1980 Syria had built six storage dams, all of which were constructed after 1971, and six smaller water catchments in the watershed (table and photos). Since 1980 six	25 <b>X</b> 1
to Syria's capacity to control the watered, adding significantly	
(UNDOF) area. We estimate	25X1
that the reservoirs behind these dams have a combined capacity of more than 60 mcm. Their actual impact on the	20/(1
THE THE TO THE UNITED BY A TABLE TO THE TABL	25 <b>X</b> 1
are used to provide irrigation water for Syrian agriculture during the winter and spring at the time of maximum stream	
flow.	25X

4

Samilized Copy Approved for Release 2011/00/17 : CIA-RDF03100207R000700020002-3	25X1
	25X1
most of these storage dams are fed by surface runoff; a few are partially springfed. During the summer of 1979 most of the larger reservoirs were dry, and consequently	25X1
the reservoirs were full. This suggests that the effect of the	
dams on the lower Yarmuk flow is most noticeable during wet years such as 1983.	25X1
To date Jordan has made little use of its part of the Yarmuk watershed other than the diversion of water into the East Ghor	25X1
near the Syrian border. Jordanian plans to increase the	
diversion into the East Ghor Canal have so far been thwarted by failure to obtain Israeli agreement to proceed with work in the Yarmuk river bed to improve water flow into the canal. We	25X1
Jordanian withdrawals from the Yarmuk are less than 150 mcm	25X1
annually, considerably below current and planned requirements	25X1
The Israelis, who in their occupation of the Golan Heights control a small part of Syria's Yarmuk watershed, have built two large storage dams since 1971 on tributaries to the Yarmuk River. One is at the Israeli settlement of Merom Golan and the other is in the southern Golan near the Israeli settlement of	25X1
Avne Etan. The two reservoirs' combined capacities probably exceed the 3.5 mcm that a 1970 Israeli plan suggested Israel would withdraw from Yarmuk tributaries on the Golan Heights. In	
addition, Israel receives 25 mcm annually from the lower Yarmuk for irrigation in the Yarmuk Triangle area and pumps a large but unknown quantity of water from the lower Yarmuk during the high water season for storage in Lake Tiberias.	25X1
	25X1
Implications of Increased Syrian Water Use 25X1	l
Jordan is already experiencing a precarious balance betweel. limited water supplies and growing water demands for irrigated agriculture and urban consumption.	
to between 500 and 600 mcm annually. Plans to relieve urban water shortages and to improve and expand irrigation in the	5X1
Canal. These plans are at present being stymied by failure to achieve Israeli and, secondarily, Syrian agreement to work on these structures. Although these political problems have been	25X1
the most serious Yarmuk water issue up to now, the preemptive  Syrian water use is probably equally harmful to Jordan because it is practically irreversible. Any Syrian use of Yarmuk sources	
5	
	25X1

Sanitized Copy Approved for Release 2011/08/17 : CIA-RDP85T00287R000700020002-3	
	25X1
	25X1
that exceeds roughly 100 mcm annually will require a	2371
corresponding scaling down of Jordanian plans.	25X1
	J
The implications of the Syrian actions for relations	
between Israel, Jordan, and Syria are more speculative. The 25 mcm of the Yarmuk's flow that is presently provided annually to	25 <b>X</b> 1
Israel's Yarmuk Triangle is not large and would progumble by	
continued by Jordan under any eventuality probably many	
important would be Israel's reaction to a further reduction of the residual Yarmuk flow that is not used by Syria or Jordan.	
One result of increased Syrian water use, consequently, may be	
That ickani till bandon ilm amme 'i' i e e e e e e	
that Israel will harden its opposition to Jordan's plans to improve the East Chor inlet and construct the Magazin 1	٦
improve the East Ghor inlet and construct the Magarin dam.	25X1
improve the East Ghor inlet and construct the Maqarin dam.	25X1
improve the East Ghor inlet and construct the Magarin dam.	J
improve the East Chor inlet and construct the Magarin dam.	25X1 25X1
improve the East Ghor inlet and construct the Magarin dam.	J
improve the East Chor inlet and construct the Magarin dam.	J
improve the East Chor inlet and construct the Magarin dam.	J
improve the East Chor inlet and construct the Magarin dam.	J
improve the East Chor inlet and construct the Magarin dam.	J

6

25X1 25X1

## STORAGE DAMS IN YARMUK BASIN, JULY 1983

<u>Dam</u> l	Year Built	Coordinates	Nearest Town (Dam name)	Stream/Wadi	Comment
i	1972-74	33°08'N 35°46'E	Merom Golan <sup>2</sup>	Tributary to Wadi ar Ruqqad	Larger dam; built by Israelis; full.
2	1983-u/c	33°06'N 35°52'N	Al Qunaytirah (Ar Ruwayhinah	Wadi ar Ruqqad )	Larger dam (2 mcm) being built on site of a previous small water catchment; 1 km from UNDOF.
3	1980-81	33°01'N 35°56'E	Al Hajjah (Al Hajjah)	Tributary to Nahr al Allan	Larger dam (3 mcm); full.
4	1983-u/c	32°56'N 35°55'N	Ar Rafid	Wadi ar Ruqqad	Large dam being built 2 kms from UNDOF
	Pre-1967	32°55'N 35°51'E	Yonatan	Tributary to Wadi ar Ruqqad	Syrian-built reservoir; appears heavily silted and in disuse
6	1980-81	32°53'N 35°58'E	Tasil (Ghadir al Bustan)	Nahr al Allan	Larger dam (6 mcm); full.
7	1980-81	32°52'N 36°07'E	Ash Shaykh Miskin (Tasil al- Shaykh Miskin)	Nahr Al Harir	Largest of newlybuilt storage dams; full.

 $<sup>^{\</sup>mathrm{1}}\mathrm{Dam}$  numbers correspond to numbers on map

 $<sup>^2\</sup>mathrm{Dam}$  numbers 1, 5, and 8 are in the Israeli-occupied Golan Heights; dam no. 32 is in Jordan

(Cont'd)

Dam	Year Built	Coordinates	Nearest Town (Dam Name)	Stream/Wadi	Comment
8	1974-75	32°48'N 35°46'E	Avne Etan	Wadi al Hamra	Larger dam built by Israelis; full.
9	Mid-1970s	32°49'N 36°06'E	Ash Shaykh Miskin (Ibta, large)	Nahr al Harir	Larger dam (3 mcm); full.
10	Mid-1970s	32°49'N 36°05'E	Ash Shaykh Miskin (Ibta, small)	Tributary to Nahr al Harir	Larger dam (1 mcm); full.
11	Mid-1970s	32°47'N 36°01'E	Tasil	Tributary to Nahr al Harir	Small catchment; full.
12	1980-83	32°45'N 36°02'E	Tafas (Gharbi Tafas)	Nahr al Harir	Larger dam; full.
13	Mid-1970s	32°43'N 36°25'E	As Suwayda	Tributary to Wadi adh Dhahab	Smal catchment; full.
14	Mid-1970s	32°42'N 36°22'E	As Suwayda	Tributary to Wadi adh Dhahab	Small catchment; empty.
15	Mid-1970s	32°43'N 36°49'E	As Suwayda (Rum Hawilayn)	Tributary to Wadi abu adh Dhahab	Larger dam (4.6 mcm); mostly spring fed; full.
16	Mid-1970s	32°41'N 36°29'E	As Suwayda (Al Aslihah)	Tributary to Wadi adh Dhahab	Small catchment; full.
17	Pre-1968	32°39'N 36°34'E	Rasas	Wadi adh Dhahab	Small catchment; full.
18	1979	32°37'N 36°35'E	Rasas (Rasas)	Tributary to Wadi adh Dhahab	Larger dam; partly spring fed; three- quarters full.

(Cont'd)

Dam	Year Built	Coordinates	Nearest Town (Dam Name)	Stream/Wadi	Comment
19.	Mid-1970s	32°41'N 36°20'E	Al Musayfirah	Wadi adh Dhahab	Small catchment; one-quarter full.
20	1980-81	32°41'N 36°17'E	Al Musayfirah (Ghariyat ash Sharqiyah)	Wadi adh Dhahab	Larger dam; one-quarter full.
21	Mid-1979s	32°40'N 36°05'E	Dar'a (Uthman)	Wadi adh Dhahab	Small catchment; less than one- quarter full.
22	-	32°42'N 36°01'E	Muzayrib (Lake Muzayrib)	Tributary to Wadi adh Dhahab	Spring-fed natural lake with local irrigation system; level normal.
23	Mid-1970s	32°35'N 36°06'E	Dar'a (Dar'a)	Wadi az Zaydi	Oldest large dam (15 mcm) in watershed; full.
24	Pre-1968	32°33'N 36°11'E	At Tayyibah	Tributary to Wadi az Zaydi	Small catchment; empty.
2.5	Pre-1968	32°33'N 36°14'E	At Tayyibah	Wadi az Zaydi	Small catchment; empty.
26	Pre-1968	32°34'N 36°16'E	Jizah	Wadi az Zaydi	Small catchment; empty.
27	Pre-1968	32°32'N 36°29'E	Busra Ash Sham	Tributary to Wadi az Zaydi	Small catchment; one-half full.
28	Pre-1968	32°32'N 36°29'N	Busra Ash Sham	Tributary to Wadi az Zaydi	Small catchment; one-half full.
29	Pre-1968	32°32'N 36°31'E	Busra Ash Sham	Tributary to Wadi az Zaydi	Small catchment; empty.
30	Pre-1968	32°33'N 36°40'E	Al Qurayyah	Tributary to Wadi az Zaydi	Larger dam enlarged from small catchment in 1979; nearly full.

Sanitized Conv. Approved	for Dologeo 2011/09/17	· CIA DDDQ5T002Q7E	2000700020002 3
Sanitized Copy Approved	101 Nelease 2011/00/17	. CIA-NDF031002011	1000100020002-3

(Cont'd)

Dam	Year Built	Coordinates	Nearest Town (Dam Name)	Stream/Wadi	Comment
31	Pre-1968	32°30'N 36°36'E	Al Qurayyah	Tributary to Wadi az Zaydi	Small catchment; one-third full.
32	Mid-1970s	32°28'N 36°15'E	Al Mafraq (Jordan)	Tributary to Wadi az Zaydi	Larger dam; only dam in Jordanian Yarmuk water- shed; one-quarter full.



